

# Safety Data Sheet

Date of issue: 23.11.2023

Version: 1.0/EN

## Section 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Trade name: **BLOND, LIGHT BROWN, SATIN, BRUNET**

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: permanent make-up product.

Uses advised against: not determined.

### 1.3. Details of the supplier of the safety data sheet

Supplier: Browi by Olga

Address: De Waaij 18, 6931 JR Westervoort Netherlands

Telephone/fax number: +31642116314

E-mail address for a competent person responsible for sds: info@browibyolga.nl

### 1.4. Emergency telephone number

**112** (Europe's emergency telephone number). Emergency Action: In the event of a medical enquiry involving this product, please contact your doctor or local hospital accident and emergency department. Please check any national emergency information services in your country.

## Section 2: Hazards identification

### 2.1. Classification of the substance or mixture

Product is not classified as hazardous for human health and life and for the environment.

### 2.2. Label elements

Hazard pictograms and signal words

None.

The names of substances on the label

None.

Hazard statements

None.

Precautionary statements

None.

Supplemental information

Mixture for use in tattoos or permanent make-up.

### 2.3. Other hazards

The product does not contain ingredients which meet criteria for PBT or vPvB in accordance with Annex XIII of REACH Regulation. The product does not contain substances included in the list established in accordance with Article 59(1) for having endocrine disrupting properties, or substances identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation 2017/2100/EU or Commission Regulation 2018/605/EU at a concentration equal to or greater than 0.1 % by weight.

## Section 3: Composition/information on ingredients

### 3.1. Substances

Not applicable.

# Safety Data Sheet

Date of issue: 23.11.2023

Version: 1.0/EN

## 3.2. Mixtures

CAS number: 1345-25-1 EC number: 215-721-8 Index number: - Registration number: -	<u>ferroso ferric oxide [iron (II, III)] oxide]</u> substance is not classified as hazardous	< 44 %
CAS number: 1308-38-9 EC number: 215-160-9 Index number: - Registration number: -	<u>chromium (III) oxide</u> substance is not classified as hazardous	< 44 %
CAS number: 51274-00-1 EC number: 257-098-5 Index number: - Registration number: -	<u>hydrated iron (III) oxide</u> substance is not classified as hazardous	< 44 %
CAS number: 1309-37-1 EC number: 215-168-2 Index number: - Registration number: -	<u>iron (III) oxide</u> substance is not classified as hazardous	< 44 %
CAS number: 57-55-6 EC number: 200-338-0 Index number: - Registration number: -	<u>propane-1,2-diol</u> substance is not classified as hazardous	15 %
CAS number: 56-81-5 EC number: 200-289-5 Index number: - Registration number: -	<u>glycerol</u> substance is not classified as hazardous	5 %

Full text of each relevant H phrases is given in section 16 of SDS.

## Section 4: First aid measures

### 4.1. Description of first aid measures

Skin contact: take off contaminated clothing. Wash the contaminated skin thoroughly with plenty of water. Consult a doctor if disturbing symptoms occur.

Eye contact: protect non-irritated eye, remove contact lenses. Wash the contaminated eye with plenty of water or physiological fluid, e.g., a solution of 0.9 % NaCl or 5 % glucose for 15 minutes with eyelids wide open. Avoid powerful water stream – risk of cornea damage. Consult an ophthalmologist if disturbing symptoms occur.

Ingestion: do not induce vomiting. Rinse mouth with water. Never give anything to drink to an unconscious person. Consult a doctor, if disturbing symptoms appear.

Inhalation: consult a doctor if disturbing symptoms occur. Remove the victim to fresh air, keep warm and calm.

### 4.2. Most important symptoms and effects, both acute and delayed

Skin contact: long-term exposure may cause redness, burning, dryness, permanent skin colouring.

Eye contact: may cause redness, tearing, burning sensation, temporary irritation.

Ingestion: stomach ache, vomiting, nausea, diarrhea, irritation of the digestive system.

Inhalation: adverse health effects after exposure are not expected by this route.

### 4.3. Indication of any immediate medical attention and special treatment needed

Physician makes a decision regarding further medical treatment after thoroughly examination of the injured. Symptomatic treatment.

## Section 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media: extinguishing foam, extinguishing powders, carbon dioxide (CO<sub>2</sub>), water spray. Adapt the extinguishing media to surrounding materials.

Unsuitable extinguishing media: water jet – risk of the propagation of the flame.

# Safety Data Sheet

Date of issue: 23.11.2023

Version: 1.0/EN

## 5.2. Special hazards arising from the substance or mixture

During the fire, the product may produce harmful fumes consisting of carbon oxides, nitrogen oxides and other unidentified products of thermal decomposition. Do not inhale combustion products, they can be dangerous for human health.

## 5.3. Advice for firefighters

Personal protection typical in case of fire. Do not stay in the fire zone without self-contained breathing apparatus and protective clothing resistant to chemicals. In case of fire, cool endangered containers with water spray from the safe distance. Collect the used extinguishing media. Do not allow them to enter the sewage system, surface and ground water.

## Section 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Limit the access for the outsiders into the breakdown area, until the suitable cleaning operations are completed. In case of large spills, isolate the exposed area. Ensure that the consequences of failure remove only trained personnel. Avoid contamination of eyes and skin. Avoid direct contact with the released product. Use personal protective equipment. Ensure adequate ventilation. Do not walk on released product – risk of slipping.

### 6.2. Environmental precautions

In case of release of large amounts of the product, it is necessary to take appropriate steps to prevent it from spreading into the environment. Notify relevant emergency services.

### 6.3. Methods and material for containment and cleaning up

Put the damaged container in an emergency container. A small amount of released product wipe with a liquid-absorbing material (paper towel, cloth, gauze). Larger spillages: absorb leakage with liquid-binding material (e.g. sand, earth, universal binders, silica, vermiculite) and collect mechanically into properly labeled containers for disposal. Clean the contaminated place with large amount of water and mild detergent.

### 6.4. Reference to other sections

Appropriate conduct with waste product – see section 13.  
Appropriate personal protective equipment – see section 8.

## Section 7: Handling and storage

### 7.1. Precautions for safe handling

Handle in accordance with good occupational hygiene and safety practices. Avoid eyes, clothing contamination and contact with skin. Use personal protective measures. Before break and after work wash hands. Use as intended. Keep the unused containers tightly closed. Ensure adequate ventilation.

### 7.2. Conditions for safe storage, including any incompatibilities

Keep only in original, tightly closed containers, in a dry, cool and well-ventilated area. Keep away from food, beverages, feed for animals or incompatible materials (see subsection 10.5). Packages containing the product keep tightly closed. Protect from moisture. Recommended storage temperature: 18-25 °C. Keep away from open flames, hot surfaces and sources of ignition. Protect from direct sunlight.

### 7.3. Specific end use(s)

No information about applications other than those specified in section 1.2.

## Section 8: Exposure controls/personal protection

### 8.1. Control parameters

Specification	TWA 8 hour	STEL 15 min
European Union*		
chromium metal, inorganic chromium (II)/(III) compounds (insoluble)	2 mg/m <sup>3</sup>	–

Legal Basis: \*Commission Directive 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU, 2019/1831/EU.

# Safety Data Sheet

Date of issue: 23.11.2023

Version: 1.0/EN

The table above shows the maximum workplace concentration values at the European Union level. Please check any national occupational exposure limit values in your country.

## Recommended control procedures

Procedures Concerning the control over the dangerous components concentrations in the air and control over the air quality in the workplace - if they are available and Justified for the position - in Accordance with the European Standards, with the conditions within the exposure place and a proper test methodology adapted to the working conditions.

## **8.2. Exposure controls**

### Appropriate engineering controls

Use the product in accordance with good occupational hygiene and safety practices. Ensure good general and/or local ventilation at work stations to ensure the maintenance of concentrations of hazardous components in the atmosphere below the permissible limit values. Do not eat, drink or smoke when working. Before breaks and after works thoroughly wash hands. Avoid contact of the product with eyes, skin and clothing.

### Individual protection measures, such as personal protective equipment

The necessity to use and selection of appropriate personal protective equipment should take into account the type of risk posed by the product, working conditions and the way of handling the product. The personal protective equipment used must meet the requirements of Regulation (EU) 2016/425 and the relevant standards. The employer is obliged to provide protection measures appropriate to the activities performed and meeting all quality requirements, including their maintenance and cleaning. Any contaminated or damaged PPE must be replaced immediately.

### Hand protection

Use protective gloves in accordance with EN 374 adequate to the performed task and suitable for the potential hazard. In case of short-term exposure wear the protective gloves with protection level 2 or greater (breakthrough time > 30 min). In case of long-term exposure wear the protective gloves with protection level 6 (breakthrough time > 480 min). Gloves material should be chosen individually at the workplace, appropriately to potential hazards and task being performed.

When using protective gloves during work with chemical products, it should be noted that the efficacy levels and corresponding breakthrough times do not indicate actual times of protection at a particular workplace, because the protection can be affected by many factors, e.g. temperature, other substances etc. If there are any signs of degradation, damage or change in appearance (colour, flexibility, shape), it is recommended to replace the gloves with a new pair. Please follow the manufacturer's instructions, not only in terms of gloves' usage, but also in terms of their cleaning, maintenance and storage. It is also important to know how to take off the gloves in order to avoid hands contamination.

### Body protection

Wear protective clothing at all times when handling the products when a risk assessment indicates it is necessary. Depending on the performer task, protective clothing appropriate to the potential risk should be worn. Wash contaminated clothing before next use. Do not wear contaminated protective clothing outside the workplace.

### Eye protection

Safety eyewear according to EN 166 should be used when a risk assessment indicates it is necessary to avoid exposure of splash, mist or vapour.

### Respiratory protection

Not required under normal working conditions with adequate ventilation. Use respiratory protection in case of high concentrations of product vapours in the air or in emergency situations.

### Thermal hazards

Thermal hazards under normal operating conditions are not to be expected.

### Environmental exposure controls

Do not allow to enter large amounts of product to reach ground water, sewage, waste water or soil. Possible emissions from the ventilation systems and processing equipment should be controlled in order to determinate their compatibility with environmental protection regulations.

# Safety Data Sheet

Date of issue: 23.11.2023

Version: 1.0/EN

## Section 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	thick liquid
Colour	according to assortment
Odour	characteristic
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range:	not determined
Flammability:	product is not classified in flammability categories
Lower and upper explosion limit:	not determined
Flash point:	> 60 °C (supplier's data)
Auto-ignition temperature:	not determined
Decomposition temperature:	not determined
pH:	not determined
Kinematic viscosity:	not determined
Solubility:	partially soluble in water
Partition coefficient n-octanol/water (log value):	not applicable to the mixture
Vapour pressure:	not determined
Density and/or relative density (water=1):	not determined
Relative vapour density:	not determined
Particle characteristics:	not applicable

### 9.2. Other information

No additional test results.

## Section 10: Stability and reactivity

### 10.1. Reactivity

The product is feebly reactive. It does not undergo a dangerous polymerization. See also subsections 10.4-10.5.

### 10.2. Chemical stability

The product is stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Hazardous reactions are not known.

### 10.4. Conditions to avoid

Avoid direct exposure to sunlight, sources of fire and sources of heat. Protect from moisture.

### 10.5. Incompatible materials

Strong oxidizing agents, acids, bases.

### 10.6. Hazardous decomposition products

Hazardous decomposition products are not known.

## Section 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information regarding acute and/or delayed results of the exposure was defined on the basis of the information on product's classification and/or toxicological studies as well as the experience and knowledge of the manufacturer.

#### Toxicity of components

propane-1,2-diol [CAS 57-55-6]

LD<sub>50</sub> (oral, rat) 22 000 mg/kg

(Organization for Economic Cooperation and Development; Screening Information Data Set for 1,2-Dihydroxypropane (57-55-6), p. 6 [2001])

# Safety Data Sheet

Date of issue: 23.11.2023

Version: 1.0/EN

LD<sub>50</sub> (oral, rat) 18 000 mg/kg

(Amdur, M.O., J. Doull, C.D. Klaasen (eds). Casarett and Doull's Toxicology. 4th ed. New York, NY: Pergamon Press, 1991, p. 705)

LD<sub>50</sub> (skin, rabbit) 20 800 mg/kg

(European Commission, ESIS; IUCLID Dataset, Propane-1,2-diol, (57-55-6), p. 45)

glycerol [CAS 56-81-5]

LD<sub>50</sub> (oral, rat) 12 600 mg/kg

(Federation Proceedings, Federation of American Societies for Experimental Biology. Vol. 4, Pg. 142, 1945)

LD<sub>50</sub> (skin, rabbit) > 10 000 mg/kg

(BIOFAX Industrial Bio-Test Laboratories, Inc., Data Sheets. Vol. 9-4/1970)

LC<sub>50</sub> (inhalation, rat) 4 655 mg/l/4 h

(data of the European Chemicals Agency)

## **Toxicity of the mixture**

### Acute toxicity

Based on available data, the classification criteria are not met.

### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

### Serious eye damage/irritation

Based on available data, the classification criteria are not met.

### Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

### Carcinogenicity

Based on available data, the classification criteria are not met.

### Reproductive toxicity

Based on available data, the classification criteria are not met.

### STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

### Aspiration hazard

Based on available data, the classification criteria are not met.

### Information on likely routes of exposure

Routes of exposure: skin contact, eye contact, inhalation, ingestion. For more information on the impact of each possible route of exposure, see subsection 4.2.

### Symptoms related to the physical, chemical and toxicological characteristics

No data available.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

No other hazards are known.

## **11.2. Information on other hazards**

### Endocrine disrupting properties

The product does not contain substances included in the list established in accordance with Article 59(1) for having endocrine disrupting properties, or substances identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0.1 % by weight. Substances (methyl 4-hydroxybenzoate [CAS 99-76-3], propyl 4-hydroxybenzoate [CAS 94-13-3]) present in concentrations below 0.1 % are under evaluation.

# Safety Data Sheet

Date of issue: 23.11.2023

Version: 1.0/EN

## Other information

No other hazards are known.

## Section 12: Ecological information

### 12.1. Toxicity

#### Toxicity of the components

glycerol [CAS 56-81-5]

Toxicity for fish LC<sub>50</sub> 54 000 mg/l/96 h (*Onchorhynchus mykiss*) [ECHA data]

Toxicity for daphnia LC<sub>50</sub> 1 955 mg/l/48 h (*Daphnia magna*) [ECHA data]

#### Toxicity of the mixture

Product is not classified as hazardous for the aquatic environment.

### 12.2. Persistence and degradability

Data for the mixture are not available.

Data for some components:

propane-1,2-diol [CAS 57-55-6]

Biodegradation: biodegradable (ECHA data)

glycerol [CAS 56-81-5]

Biodegradation: biodegradable (literature data)

### 12.3. Bioaccumulative potential

Do not expect to significant bioaccumulation.

Data for some components:

propane-1,2-diol [CAS 57-55-6]

Log P<sub>o/w</sub> = -1.07 (literature data)

glycerol [CAS 56-81-5]

Log P<sub>o/w</sub> = -2.66 (estimated value)

### 12.4. Mobility in soil

Product is mobile in soil and aquatic environment. Mobility of components of the mixture in soil depends on the hydrophilic and hydrophobic properties and biotic and abiotic conditions of soil, including its structure, climatic conditions, seasons and soil organisms.

### 12.5. Results of PBT and vPvB assessment

The product does not contain persistent, bioaccumulative and Toxic substance (PBT) and very persistent, very bioaccumulative substance (vPvB).

### 12.6. Endocrine disrupting properties

The product does not contain substances included in the list established in accordance with Article 59(1) for having endocrine disrupting properties, or substances identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0.1 % by weight.

### 12.7. Other adverse effects

Product has no influence on global warming and destruction of the ozone layer. Consider other harmful effects of individual components of the mixture on the environment (e.g. global warming potential).

## Section 13: Disposal considerations

### 13.1. Waste treatment methods

Disposal methods for the product: do not empty into drains. Do not allow it to contaminate surface and ground water. Do not store on municipal landfills. Reuse or disposal of a waste product should be carried out in accordance with applicable regulations. Store residues in original containers. Do not mix with other waste. Waste code should be assigned in the place of its formation.

# Safety Data Sheet

Date of issue: 23.11.2023

Version: 1.0/EN

Disposal methods for used packing: reuse/recycling/liquidation of empty containers dispose in accordance with the local legislation. Only completely emptied packaging can be recycled. Contaminated packaging should be treated in the same way as the product.

Legal basis: Directive 2008/98/EC as amended, 94/62/EC as amended.

## Section 14: Transport information

### 14.1. UN number or ID number

Not applicable. Product is not classified as dangerous during land, sea or air transport.

### 14.2. UN proper shipping name

Not applicable.

### 14.3. Transport hazard class(es)

Not applicable.

### 14.4. Packing group

Not applicable.

### 14.5. Environmental hazards

Not applicable.

### 14.6. Special precautions for user

Not applicable.

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable.

## Section 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**Regulation No 1907/2006/EC** of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC as amended.

**Regulation No 1272/2008/EC** of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 as amended.

**Commission Regulation No 2020/878/EU** of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

**Directive 2008/98/EC** of the European Parliament and of the Council of 19 November 2008 on waste and repealing certain Directives as amended.

**European Parliament and Council Directive 94/62/EC** of 20 December 1994 on packaging and packaging waste as amended.

**Regulation 2016/425/EU** of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC.

**Commission Directive 91/322/EEC** of 29 May 1991 on establishing indicative limit values by implementing Council Directive 80/1107/EEC on the protection of workers from the risks related to exposure to chemical, physical and biological agents at work as amended.

**Commission Directive 2000/39/EC** of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work as amended.

**Commission Directive 2006/15/EC** of 7 February 2006 establishing a second list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC.

**Commission Directive 2009/161/EU** of 17 December 2009 establishing a third list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Commission Directive 2000/39/EC as amended.

**Commission Directive 2017/164/EU** of 31 January 2017 establishing a fourth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC, and amending Commission Directives 91/322/EEC, 2000/39/EC and 2009/161/EU.



# Safety Data Sheet

Date of issue: 23.11.2023

Version: 1.0/EN

**Commission Directive 2019/1831/EU** of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC.

The Agreement concerning the International Carriage of Dangerous Goods by Road (**ADR**).

**IMDG** Code International Maritime Dangerous Goods Code.

**IATA** Dangerous Goods Regulations.

**Annex XVII of the REACH:** restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles: Due to its intended use (mixture for use in tattoos or permanent make-up), the product is subject to the requirements described in entry 75.

## 15.2. Chemical safety assessment

A Chemical Safety Assessment is not required for mixtures in accordance with REACH Regulation.

## Section 16: Other information

### Clarification of aberrations and acronyms

TWA	Time Weighted Average
STEL	Short-term exposure limit
LC <sub>50</sub>	Median lethal concentration
LD <sub>50</sub>	Median lethal dose
PBT	Persistent, Bioaccumulative and Toxic substance
vPvB	very Persistent, very Bioaccumulative substance
ECHA	The European Chemicals Agency

### Trainings

Before commencing working with the product, the user should learn the Health & Safety regulations, regarding handling chemicals, and in particular, undergo a proper workplace training.

### Key literature references and data sources

This SDS was prepared on the basis of safety data sheet provided by manufacturer, additional manufacturer's data, literature data, online databases as well as our knowledge and experience, taking into account current legislation.

### Methods of evaluating information which was used for the purpose of classification

Classification was based on data on hazardous substances calculation method under the guidance of Regulation 1272/2008/EC (CLP) as amended.

### Other data

Date of issue: 23.11.2023

Version: 1.0/EN

Safety Data Sheet made by: **THETA Consulting Sp. z o.o.** (on the basis of producer's data)

The information above is based on a current available data concerning the product, but also on the experience and knowledge in this field of the producer. They are neither a quality description of the product nor a guarantee of particular features. They are to be treated as aid to safety in transport, storage and usage of the product. That does not free the user from the responsibility of improper usage of the information above and also of improper compliance with the law norms in the field.